

HIV and AIDS Estimates

Adults and children living with HIV	1 300 000 [1 300 000 - 1 400 000]
Adults aged 15 and over living with HIV	1 200 000 [1 200 000 - 1 300 000]
Women aged 15 and over living with HIV	750 000 [710 000 - 810 000]
Men aged 15 and over living with HIV	490 000 [460 000 - 540 000]
Children aged 0 to 14 living with HIV	95 000 [84 000 - 100 000]
Adult aged 15 to 49 HIV prevalence rate	5.9 [5.5 - 6.1]
Women aged 15 to 49 HIV prevalence rate	7.3 [6.8 - 7.7]
Men aged 15 to 49 HIV prevalence rate	4.5 [3.9 - 4.8]
HIV prevalence among young women	2.9 [1.3 - 4.2]
HIV prevalence among young men	1.0 [0.4 - 1.5]
Adults and children newly infected with HIV	50 000 [42 000 - 59 000]
Adults aged 15 and over newly infected with HIV	43 000 [36 000 - 52 000]
Women aged 15 and over newly infected with HIV	24 000 [20 000 - 30 000]
Men aged 15 and over newly infected with HIV	18 000 [15 000 - 24 000]
Children aged 0 to 14 newly infected with HIV	7600 [6400 - 8600]
HIV incidence per 1000 population (adults 15-49)	2.52 [2.02 - 2.96]
HIV incidence per 1000 population (all ages)	1.37 [1.15 - 1.64]
Adult and child deaths due to AIDS	26 000 [20 000 - 34 000]
Deaths due to AIDS among adults aged 15 and over	22 000 [16 000 - 30 000]
Deaths due to AIDS among women aged 15 and over	8300 [5300 - 13 000]



Orphans due to AIDS aged 0 to 17	560 000 [440 000 - 690 000]
Deaths due to AIDS among children aged 0 to 14	3800 [3100 - 4700]
Deaths due to AIDS among men aged 15 and over	14 000 [11 000 - 18 000]

Epidemic transition metrics

Percent change in new HIV infections since 2010	-51
Percent change in AIDS-related deaths since 2010	-45
Incidence : prevalence ratio	0.04
Incidence: mortality ratio	1.41

HIV testing and treatment cascade

People living with HIV	1 300 000 [1 300 000 - 1 400 000]
People living with HIV who know their status	1 100 000
Percent of people living with HIV who know their status	81 [76 - 86]
People living with HIV who are on ART	970 000
Percent of people living with HIV who are on ART	72 [68 - 77]
People living with HIV who have suppressed viral loads	760 000
Percent of people living with HIV who have suppressed viral loads	56 [53 - 60]

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	72 [68 - 77]
Adults aged 15 and over receiving ART	73 [68 - 78]



Women aged 15 and over receiving ART	79 [75 - 85]
Men aged 15 and over receiving ART	62 [58 - 68]
Children aged 0 to 14 receiving ART	68 [60 - 75]
Number of adults and children receiving ART (#)	969 569
Adults aged 15 and over receiving ART	904 435
Women aged 15 and over receiving ART	596 012
Men aged 15 and over receiving ART	308 423
Children aged 0 to 14 receiving ART	65 134
Adults and children newly-initiating ART (#)	42 489
Adults aged 15 and over newly-initiating ART	40 480
Children aged 0-14 newly-initiating ART	2009
Women aged 15 and over newly-initiating ART	25 511
Men aged 15 and over newly-initiating ART	14 969
Adults and children known to be on ART 12 months after starting (%)	78
Adults known to be on ART 12 months after starting	
Children known to be on ART 12 months after starting	

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	>95 [90 - >95]
Pregnant women who received ARV for PMTCT (#)	107 170
Pregnant women needing ARV for PMTCT (#)	95 000 [77 000 - 110 000]
Early infant diagnosis (%)	48 [42 - 59]



New HIV infections averted due to PMTCT (%)	16 000 [14 000 - 19 000]
Number of HIV-exposed children who are uninfected	860 000 [760 000 - 950 000]

Sex workers

HIV prevalence (%)	34.2	Source: GARPR 2013
Condom use (%)	69.4	Kampala; Source: Data provided through GARPR 2015

Men who have sex with men

HIV prevalence (%)	13.2	Source: Crane study, 2013
Condom use (%)	39	Source: Data provided through GARPR 2013

People who inject drugs

HIV prevalence (%)	26.7	Source: Special Study 2017
Condom use (%)	4	Source: "Behavioural Surveillance Survey (Rapid Assessment on Condom use among PWIDs, UHRN 2017)"



Coverage of HIV prevention programmes (%)	8	Source: "Behavioural Surveillance Survey (Rapid assessment of people who inject drugs, UHRN 2017)"
---	---	--

Prisoners

Population size estimate (#)	151 000	Year of estimation: 2016
HIV prevalence (%)	15	Source: HIV tests conducted by jails, prisons and other closed settings 2017
Prevalence of hepatitis C infection among prisoners (%)	7	Representative of HCV infection only; Source: Routine programme data 2017

Combination prevention

People receiving pre-exposure prophylaxis (PrEP) (#)	1969	
Condom use at last high-risk sex among adults aged 15 to 49 (%)	50.7	Source: 2011 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	45.5	Source: 2011 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	60.0	Source: 2011 DHS
Percentage of men 15-49 that are circumcised (%)	26.8	Source: DHS 2011
Male circumcisions performed (#)	847 633	

® UNAIDS │ AIDSinfo

Country factsheets UGANDA | 2017

People who inject drugs: Avoidance of health care because of stigma and discrimination (%)	64	Refers to avoidance of HIV testing due to fear of stigma and discrimination; Source: "Behavioural Surveillance Survey (Rapid assessment of people who inject drugs, UHRN 2017)"
--	----	---

Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	29.9	Source: 2016 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)		
Prevalence of recent intimate partner violence among women aged 20-24 (%)		
Prevalence of recent intimate partner violence among women aged 25-49 (%)		
Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)	53.8	Source: 2016 DHS
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)		
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)	39.9	Source: DHS 2011
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)	44.8	Source: DHS 2011



Knowledge about HIV prevention among young people aged 15-24	45.5	Source: DHS 2016
Knowledge about HIV prevention among young women aged 15-24	45.7	Source: DHS 2016
Knowledge about HIV prevention among young men aged 15-24	44.8	Source: DHS 2016

TB and HIV

Co-management of TB and HIV treatment (%)	49 [34 - 76]
Estimated TB-related deaths among people living with HIV (#)	14 000 [7900 - 21 000]