

Country factsheets

MALI | 2016

HIV and AIDS Estimates

Adults and children living with HIV	110 000 [89 000 - 130 000]
Adults aged 15 and over living with HIV	96 000 [78 000 - 120 000]
Women aged 15 and over living with HIV	56 000 [46 000 - 69 000]
Men aged 15 and over living with HIV	39 000 [32 000 - 48 000]
Children aged 0 to 14 living with HIV	14 000 [11 000 - 16 000]
Adult aged 15 to 49 HIV prevalence rate	1.0 [0.8 - 1.2]
Women aged 15 to 49 HIV prevalence rate	1.2 [1.0 - 1.5]
Men aged 15 to 49 HIV prevalence rate	0.8 [0.6 - 0.9]
HIV prevalence among young women	0.6 [0.4 - 0.8]
HIV prevalence among young men	0.3 [0.2 - 0.4]
Adults and children newly infected with HIV	5900 [3800 - 8600]
Adults aged 15 and over newly infected with HIV	4200 [2600 - 6400]
Women aged 15 and over newly infected with HIV	2300 [1400 - 3500]
Men aged 15 and over newly infected with HIV	1900 [1200 - 2900]
Children aged 0 to 14 newly infected with HIV	1600 [1100 - 2300]
HIV incidence per 1000 population (adults 15-49)	0.49 [0.30 - 0.74]
HIV incidence per 1000 population (all ages)	0.33 [0.21 - 0.49]
Adult and child deaths due to AIDS	6100 [4800 - 7500]
Deaths due to AIDS among adults aged 15 and over	5100 [4000 - 6300]
Deaths due to AIDS among women aged 15 and over	2400 [1900 - 3000]

Country factsheets

MALI | 2016

Deaths due to AIDS among men aged 15 and over	2700 [2100 - 3300]
Deaths due to AIDS among children aged 0 to 14	<1000 [<1000 - 1300]
Orphans due to AIDS aged 0 to 17	89 000 [76 000 - 110 000]

HIV testing and treatment cascade

People living with HIV	110 000 [89 000 - 130 000]	Source: Spectrum
People living with HIV who are on ART	38 000	Source: Spectrum
Percent of people living with HIV who are on ART	35	
People living with HIV who have suppressed viral loads	10 000	Source: GAM; Viral load testing coverage: 15%
Percent of people living with HIV who have suppressed viral loads	9	

Antiretroviral therapy (ART)

Coverage of adults and children receiving ART (%)	35 [25 - 44]
Adults aged 15 and over receiving ART	37 [26 - 47]
Women aged 15 and over receiving ART	43 [31 - 54]
Men aged 15 and over receiving ART	28 [23 - 35]
Children aged 0 to 14 receiving ART	21 [15 - 26]
Number of adults and children receiving ART (#)	37 900
Adults aged 15 and over receiving ART	35 100
Women aged 15 and over receiving ART	24 000

Country factsheets

MALI | 2016

Men aged 15 and over receiving ART	11 000
Children aged 0 to 14 receiving ART	2800
Late HIV diagnosis [with the initial CD4 cell count <200 cells/ mm³] (%)	41
Late HIV diagnosis among adults aged 15 and over	
Late HIV diagnosis among women	
Late HIV diagnosis among men	
Adults and children newly-initiating ART (#)	7032
Adults aged 15 and over newly-initiating ART	6437
Children aged 0-14 newly-initiating ART	595
Women newly-initiating ART	4521
Men newly-initiating ART	2511
Adults and children known to be on ART 12 months after starting (%)	76
Adults known to be on ART 12 months after starting	
Children known to be on ART 12 months after starting	

Elimination of mother-to-child transmission

Coverage of pregnant women who receive ARV for PMTCT (%)	35 [28 - 42]
Pregnant women who received ARV for PMTCT (#)	2400
Pregnant women needing ARV for PMTCT (#)	6800 [5600 - 8400]
Early infant diagnosis (%)	12 [10 - 15]
New HIV infections averted due to PMTCT (%)	<1000 [<500 - <1000]

Sex workers

Country factsheets

MALI | 2016

Population size estimate (#)	35 903	Year of estimation: 2015; Mali (excluant 3 régions du nord : Tombouctou, Gao et Kidal)
HIV prevalence (%)		
Condom use (%)	98.1	Source: Behavioural Surveillance Survey, 2009

Men who have sex with men

Population size estimate (#)	3671	Year of estimation: 2015; Mali (excluant 3 régions du nord : Tombouctou, Gao et Kidal)
HIV prevalence (%)	13.7	Source: Étude bio-comportementale sur les hommes qui ont des rapports sexuels avec d'autres hommes à Bamako Mali, 2014-15
Condom use (%)	76.9	Source: Data submitted through GARPR 2015

People who inject drugs

Country factsheets

MALI | 2016

Population size estimate (#)	749	Year of estimation: 2015; District de Bamako et la région de Sikasso
HIV prevalence (%)	5.1	Source: Behavioural Surveillance Survey, 2016

Prisoners

Population size estimate (#)	5354	Year of estimation: 2015
HIV prevalence (%)	1.4	Source: Rapport annuel 2016 ASDAP
Prevalence of TB infection among prisoners (%)	1.6	Type of infection (TB or TB/HIV) not specified; Source: Rapports annuels ASDAP et CERKES 2016

Combination prevention

Condom use at last high-risk sex among adults aged 15 to 49 (%)	29.6	Source: 2012-13 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	20.6	Source: 2012-13 DHS
- Condom use at last high-risk sex among men aged 15 to 49 (%)	38.6	Source: 2012-13 DHS
Percentage of men 15-49 that are circumcised (%)	97.8	Source: DHS 2012-13

Stigma and discrimination

Country factsheets

MALI | 2016

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	45.8	Source: 2012-13 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

Gender

Prevalence of recent intimate partner violence among women aged 15-49 (%)	26.6	Source: 2012-13 DHS
Prevalence of recent intimate partner violence among women aged 15-19 (%)	29.3	Source: 2012-13 DHS
Prevalence of recent intimate partner violence among women aged 20-24 (%)	27	Source: 2012-13 DHS
Prevalence of recent intimate partner violence among women aged 25-49 (%)	26.1	Source: 2012-13 DHS

Young people

Knowledge about HIV prevention among young people aged 15-24	26.1	Source: 2012-13 DHS
Knowledge about HIV prevention among young women aged 15-24	23.7	Source: 2012-13 DHS
Knowledge about HIV prevention among young men aged 15-24	33	Source: 2012-13 DHS

Country factsheets

MALI | 2016

Co-management of TB and HIV treatment (%)	33 [23 - 51]
Proportion of people living with HIV newly enrolled in HIV care with active TB disease (%)	6
Proportion of people living with HIV newly enrolled in HIV care started on TB preventive therapy (%)	36
Estimated TB-related deaths among people living with HIV (#)	<500 [<500 - <1000]