

Country factsheets  
**NAMIBIA | 2017**

## HIV and AIDS Estimates

<b>Adults and children living with HIV</b>	<b>200 000 [180 000 - 210 000]</b>
Adults aged 15 and over living with HIV	190 000 [170 000 - 200 000]
Women aged 15 and over living with HIV	110 000 [100 000 - 120 000]
Men aged 15 and over living with HIV	74 000 [67 000 - 81 000]
Children aged 0 to 14 living with HIV	12 000 [9400 - 14 000]
<b>Adult aged 15 to 49 HIV prevalence rate</b>	<b>12.1 [10.7 - 13.0]</b>
Women aged 15 to 49 HIV prevalence rate	14.5 [12.9 - 15.6]
Men aged 15 to 49 HIV prevalence rate	9.5 [7.9 - 10.4]
HIV prevalence among young women	5.0 [2.6 - 7.0]
HIV prevalence among young men	2.7 [1.2 - 4.0]
<b>Adults and children newly infected with HIV</b>	<b>7400 [5900 - 8400]</b>
Adults aged 15 and over newly infected with HIV	6800 [5400 - 7800]
Women aged 15 and over newly infected with HIV	3900 [3000 - 4500]
Men aged 15 and over newly infected with HIV	2900 [2300 - 3500]
Children aged 0 to 14 newly infected with HIV	<1000 [<1000 - <1000]
<b>HIV incidence per 1000 population (adults 15-49)</b>	<b>6.03 [4.77 - 6.77]</b>
HIV incidence per 1000 population (all ages)	3.49 [2.73 - 4.01]
<b>Adult and child deaths due to AIDS</b>	<b>2700 [2000 - 3500]</b>
Deaths due to AIDS among adults aged 15 and over	2400 [1800 - 3100]
Deaths due to AIDS among women aged 15 and over	1200 [<1000 - 1600]

## Country factsheets

### NAMIBIA | 2017

Deaths due to AIDS among men aged 15 and over	1200 [<1000 - 1500]
Deaths due to AIDS among children aged 0 to 14	<500 [<200 - <500]
<b>Orphans due to AIDS aged 0 to 17</b>	<b>34 000 [27 000 - 40 000]</b>

### Epidemic transition metrics

Percent change in new HIV infections since 2010	-24
Percent change in AIDS-related deaths since 2010	-21
Incidence : prevalence ratio	0.04
Incidence : mortality ratio	1.83

### HIV testing and treatment cascade

<b>People living with HIV</b>	<b>200 000 [180 000 - 210 000]</b>
<b>People living with HIV who know their status</b>	<b>180 000</b>
Percent of people living with HIV who know their status	90 [84 - >95]
<b>People living with HIV who are on ART</b>	<b>170 000</b>
Percent of people living with HIV who are on ART	84 [79 - 91]
<b>People living with HIV who have suppressed viral loads</b>	<b>150 000</b>
Percent of people living with HIV who have suppressed viral loads	74 [69 - 80]

### Antiretroviral therapy (ART)

<b>Coverage of adults and children receiving ART (%)</b>	<b>84 [79 - 91]</b>
Adults aged 15 and over receiving ART	85 [78 - 92]

## Country factsheets

### NAMIBIA | 2017

Women aged 15 and over receiving ART	95 [88 - >95]
Men aged 15 and over receiving ART	70 [64 - 77]
Children aged 0 to 14 receiving ART	76 [60 - 88]
<b>Number of adults and children receiving ART (#)</b>	<b>167 629</b>
Adults aged 15 and over receiving ART	158 439
Women aged 15 and over receiving ART	106 600
Men aged 15 and over receiving ART	51 839
Children aged 0 to 14 receiving ART	9190
<b>Late HIV diagnosis [with the initial CD4 cell count &lt;200 cells/ mm<sup>3</sup>] (%)</b>	<b>22</b>
Female adults (15+)	20
Male adults (15+)	25
Children (0-14)	26
<b>Late HIV diagnosis [with the initial CD4 cell count &lt;350 cells/ mm<sup>3</sup>] (%)</b>	<b>51</b>
Female adults (15+)	47
Male adults (15+)	56
Children (0-14)	50
<b>Adults and children newly-initiating ART (#)</b>	<b>21 213</b>
Adults aged 15 and over newly-initiating ART	20 381
Children aged 0-14 newly-initiating ART	832
Women aged 15 and over newly-initiating ART	13 097
Men aged 15 and over newly-initiating ART	7284
<b>Adults and children known to be on ART 12 months after starting (%)</b>	<b>84</b>

## Country factsheets

### NAMIBIA | 2017

Adults known to be on ART 12 months after starting	84
Children known to be on ART 12 months after starting	79

### Elimination of mother-to-child transmission

<b>Coverage of pregnant women who receive ARV for PMTCT (%)</b>	<b>&gt;95 [&gt;95 - &gt;95]</b>
Pregnant women who received ARV for PMTCT (#)	12 422
Pregnant women needing ARV for PMTCT (#)	10 000 [8100 - 11 000]
<b>Early infant diagnosis (%)</b>	<b>&gt;95 [&gt;95 - &gt;95]</b>
<b>New HIV infections averted due to PMTCT (%)</b>	<b>1900 [1600 - 2100]</b>
Number of HIV-exposed children who are uninfected	110 000 [89 000 - 130 000]

### Sex workers

Population size estimate (#)	8082	Female sex workers; Year of estimation: 2014 in four cities
------------------------------	------	---

### Men who have sex with men

Population size estimate (#)	6508	Year of estimation: 2014
------------------------------	------	--------------------------

### Combination prevention

People receiving pre-exposure prophylaxis (PrEP) (#)	190	
Condom use at last high-risk sex among adults aged 15 to 49 (%)	70.3	Source: 2013 DHS
- Condom use at last high-risk sex among women aged 15 to 49 (%)	65.5	Source: 2013 DHS

## Country factsheets NAMIBIA | 2017

- Condom use at last high-risk sex among men aged 15 to 49 (%)	79.7	Source: 2013 DHS
Percentage of men 15-49 that are circumcised (%)	25.5	Source: DHS 2013
Male circumcisions performed (#)	30 134	

### Stigma and discrimination

Percentage of adults (15-49) who responded No to the question: Would you buy fresh vegetables from a shopkeeper or vendor if you knew that this person had HIV?	13	Source: 2013 DHS
Percentage of adults (15-49) who responded No to the question: Do you think that children living with HIV should be able to attend school with children who are HIV negative?		
Percentage of adults (15-49) who responded No to both questions		

### Gender

<b>Women aged 15-49 who have their demand for family planning satisfied by modern methods (%)</b>	<b>80.4</b>	<b>Source: 2013 DHS</b>
Women aged 15-19 who have their demand for family planning satisfied by modern methods (%)	72.1	Source: 2013 DHS
Women aged 20-24 who have their demand for family planning satisfied by modern methods (%)	79.6	Source: DHS 2013
Women aged 25-49 who have their demand for family planning satisfied by modern methods (%)	82.1	Source: DHS 2013

### Young people

## Country factsheets

### NAMIBIA | 2017

<b>Knowledge about HIV prevention among young people aged 15-24</b>	<b>58.25</b>	<b>Source: DHS 2013</b>
Knowledge about HIV prevention among young women aged 15-24	61.6	Source: DHS 2013
Knowledge about HIV prevention among young men aged 15-24	51.1	Source: DHS 2013

### TB and HIV

Co-management of TB and HIV treatment (%)	78 [54 - >95]
Proportion of people living with HIV newly enrolled in HIV care with active TB disease (%)	18
Proportion of people living with HIV newly enrolled in HIV care started on TB preventive therapy (%)	15
Estimated TB-related deaths among people living with HIV (#)	<1000 [<1000 - 1100]

### Cervical cancer and HIV

Cervical cancer screening among women living with HIV (survey data)	54	Source: 2013 DHS
---	----	------------------